

Limitations of penicillin include fear of anaphylactic reaction in sensitive patients, "relatively" resistant strains, and failure to cure non-specific urethritis (NSU). Tetracycline and its related products are needed for NSU. Tetracycline is contraindicated in pregnancy and is adversely effected by antacids, including milk and juices. Doxycycline and demethylchlortetracycline appear superior to tetracycline and require less frequent administration. Tetracyclines by injection are not well tolerated by patients because of injection-site pain.

The following products and dosages are currently successful therapy for gonorrhea (uncomplicated male urethritis):

#### *Injection*

- Aqueous procaine penicillin, 4.8 million units (divided in each hip) probenecid, 5 grams may be added—one gram  $\frac{1}{2}$  hour prior to injection, then one gram q.i.d.
- Cephaloridine, 2 grams
- Kanamycin, 2 grams
- Tetracycline, 250 mg. x 2

#### *Oral*

- Ampicillin, 3 grams. Given over 3 days: One gram stat; then  $\frac{1}{2}$  gram at 4 and 8 hours; then  $\frac{1}{2}$  gram b.i.d. (Females given  $\frac{1}{2}$  gram b.i.d. one additional day—total, 4 grams.)
- Demethylchlortetracycline, 2700 mg. Given over 4 days: 600 mg stat, 300 mg at 8 hours, then 300 mg b.i.d. x 3
- Doxycycline, 800 mg. (200 mg stat, 100 mg b.i.d. x 3). (Females given 100 mg b.i.d. for two additional days—total, 1200 mg.)
- Tetracycline, 10 grams (1.5 grams stat; then  $\frac{1}{2}$  gram q.i.d. x 4).

W. A. KETTERER, M.D., M.P.H.

#### REFERENCES

- Nelson M: Effect of double dose of aqueous procaine penicillin to treat gonorrhea in man. Health Services and Mental Health Administration Health Reports 86:285-288, Mar 1971
- Outline of Gonorrhea Therapy. California State Department of Public Health, 1970

#### Current Street Language for Various Drugs That Are Abused

The use and abuse of psychoactive drugs is a problem of grave concern to medical and public health officials. Reports of increased use among adolescents has led to the establishment of varied forms of treatment facilities, each employing established as well as oft-times innovative modalities. However, effective intervention treatment and social rehabilitation programs have been few, partly because of difficulty in communication. A major component in the use of psychoactive drugs has been the development of a "drug slang."

It is difficult to make any generalizations about the words used, in that the terms are constantly changing and a listing is never up to date. Communities many times also have their own words for drugs, and these terms do not carry the same meaning in other localities. However, there are some terms that seem to be used widely and frequently:

A's	amphetamine
acid	LSD, d-Lysergic acid diethylamide tartrate
Acapulco gold	high-grade marijuana
angel dust	DMT or PCP sprinkled over parsley or tobacco
bag	packet of drugs
barbs	barbiturates
bennies	Benzedrine® (brand of amphetamine sulfate)
blue angels	} amobarbital sodium
bluebirds	
blue heaven	
blue devils	
blues	
blue velvet	paregoric in combination with amphetamine or antihistamine such as Pyribenzamine® (brand of tripeleennamine)

buttons	dried tops of the lophophora cactus (peyote)	gee-head	paregoric user
bombido	injectable amphetamine	gold dust	cocaine
businessman's trip	(see DMT)	hash	hashish (resin from cannabis)
booze	alcohol	hyke	Hycodan® (dioxycodine)
babo	Nalline® hydrochloride (brand of nalorphine)	horse	heroin (diacetyl morphine)
Beast (the)	LSD	H	heroin (diacetyl morphine)
Big "D"	LSD	Harry	heroin (diacetyl morphine)
Blue Cheer	type of LSD	hearts	Dexedrine® (brand of dextroamphetamine sulfate)
bagging	sniffing glue in a bag	hay	marijuana
Bernice	cocaine	J	marijuana cigarette
black	LSD	joint	marijuana cigarette
black beauty	methamphetamine	jug	ampoule of injectable drugs
blues-and-reds	(see Rainbows)	junkie	heroin user
bullets	Seconal® (brand of secobarbital sodium)	junk	heroin (diacetyl morphine)
bombers	large marijuana cigarettes	key	kilogram of marijuana
cap	capsules	lid	one ounce of marijuana (approximate)
coke	cocaine (extract of dried leaves of erythroxylon coca)	llesea	Mexican term for marijuana
cokie	cocaine addict	locoweed	Jimson weed (datura stramonium)
chipping	periodic use of intravenously used drugs	meth	methamphetamine
Charlie	cocaine	Mexican Brown	brown marijuana from Mexico
crystal	methamphetamine hydrochloride (powdered or crystalline form)	mota	Mexican term for good marijuana
candy	barbiturates	M	morphine sulfate
cartwheel	white, round, double-scored amphetamine tablet	mesc	mescaline (resin from lophophora cactus) (peyote)
chalk	methamphetamine hydrochloride (powder form)	magic mushroom	mushroom (psilocybe Mexicana) containing psilocybin
Christmas tree	Tuinal® (brand of amobarbital sodium and secobarbital sodium)	Mickey	combination of alcohol and chloral hydrate
co-pilots	amphetamines	Miss Emma	morphine sulfate
Chicano green	type of dark green marijuana	nembies	pentobarbital sodium
Cristina	methamphetamine hydrochloride	number	marijuana cigarette
crank	methamphetamine hydrochloride	orange sunshine	form of LSD
crap	heroin	Panama red	potent grade of marijuana from Panama
DET	diethyltryptamine	P.G.	paregoric
DMT	dimethyltryptamine	piece of stuff	one ounce of heroin
DOM	dimethoxymethamphetamine (see STP)	pot	marijuana
dollies	Dolphine® (brand of methadone hydrochloride) tablets	powder	amphetamine sulfate in powder form
downers	non-narcotic central nervous system depressants	purple hearts	Dexamyl® (brand of dextroamphetamine sulfate and amobarbital sodium)
dexies	Dexedrine® (brand of dextroamphetamine sulfate)	peace pill (P.C.P.)	Sernylan® (brand of phencyclidine) an anesthetic originally for dogs
dynamite	high-grade heroin	peanuts	barbiturates
dust	cocaine	pinks	secobarbital sodium
flake	cocaine	popper	amyl nitrate in ampule form (generally sniffed)
footballs	amphetamine tablets (oval-shaped)	R.D.'s	secobarbital sodium
gage	marijuana (term seldom used)	red devils	secobarbital sodium
geeze	injecting heroin	reds	secobarbital sodium
goof balls	barbiturates	roach	butt of marijuana cigarette
grass	marijuana (dried leaves, seeds and stems of cannabis sativa)	rainbows	Tuinal® (brand of amobarbital sodium and secobarbital sodium) (red and blue capsule)
		reds and blues	see rainbows
		smack	heroin (diacetyl morphine)
		shit	heroin or marijuana

Simple Simon      psilocybin (psilocybe Mexicana) from  
the Mexican mushroom  
snow                cocaine  
speed                methamphetamine  
splash                methamphetamine  
stuff                heroin (diacetyl morphine)  
STP                  dimethoxymethamphetamine  
(see DOM) (serenity-tranquility-peace)  
scat                  heroin (diacetyl morphine)  
scag                  heroin (diacetyl morphine)  
school boy        codeine  
uppers              C.N.S. stimulants (xanthine alkaloids,  
seldom) (amphetamines, often)  
weed                marijuana  
window panes     LSD in gelatin sheets

yellow              pentobarbital sodium  
jackets  
yellows             pentobarbital sodium  
G. A. HEIDBREDER, M.D., M.P.H.  
BRUCE WOOLLEY

#### REFERENCES

Frykman J: A New Connection. San Francisco, c/j press, 1970  
Resource Book for Drug Abuse Education. National Institute of  
Mental Health, Washington, DC, Government Printing Office, 1970  
Claus EP: Pharmacognosy (4th Ed). Philadelphia, Lea and Fe-  
biger, 1961  
Healy M: Drug Dependence and Abuse Resource Book. Chicago,  
National District Attorneys Association, 1971  
Numerous interviews with drug dependent patients being treated in  
the County of Los Angeles Health Department Methadone and Drug  
Treatment Clinics.

### ADVISORY PANEL, SECTION ON PREVENTIVE MEDICINE AND PUBLIC HEALTH

STEPHEN A. CORAY, M.D., *Chairman*  
*Ventura*

*Chairman of CMA Section on Preventive Medicine and Public Health*

NEMAT O. BORHANI, M.D.  
*University of California, Davis*  
*School of Medicine*

LESTER BRESLOW, M.D.  
*University of California, Los Angeles*  
*School of Medicine*

HAROLD D. CHOPE, M.D.  
*CMA Scientific Board*  
*Belmont*

ROBERT H. CREDE, M.D.  
*University of California, San Francisco*  
*School of Medicine*

COUNT D. GIBSON, JR., M.D.  
*Stanford University*  
*School of Medicine*

L. S. GOERKE, M.D.  
*University of California, Los Angeles*  
*School of Public Health*

MERVYN G. HARDINGE, M.D.  
*Loma Linda University*  
*School of Medicine*

HAROLD MAZUR, M.D.  
*University of Southern California*  
*School of Medicine*  
*California Academy of Preventive Medicine,*  
*President*  
*Los Angeles*

DONALD G. RAMRAS, M.D.  
*CMA Section on Preventive Medicine and*  
*Public Health, Assistant Secretary*  
*San Diego*

MR. WILLIAM C. REEVES  
*Department of Public Health,*  
*Dean and Chairman*  
*University of California, Berkeley*  
*School of Public Health*

MAXWELL ROSENBLATT, M.D.  
*Los Angeles County Health Department*  
*Los Angeles*

LOUIS F. SAYLOR, M.D.  
*State Department of Public Health*  
*Berkeley*

JOSEPH STOKES III, M.D.  
*University of California, San Diego*  
*School of Medicine*

RICHARD SVIHUS, M.D.  
*CMA Section on Preventive Medicine*  
*and Public Health, Secretary*  
*Santa Cruz*

LAURI THRUPP, M.D.  
*University of California, Irvine*  
*College of Medicine*